ANALYTICA CHIMICA ACTA, VOL. 283 (1993)

AUTHOR INDEX

Adams, F.
—, Adriaens, A., Berghmans, P. and Janssens, K.
Surface microanalysis 19
Adams, F., see Janssens, K. 98
Adriaens, A., see Adams, F. 19
Adriaensens, P., see Hoogmartens, I. 1025
Agraz, R.
—, Sevilla, M.T. and Hernández, L.
Copper speciation analysis using a chemically modified electrode 650
Aizpún Fernández, B., see Valdés-Hevia y Temprano, M.C. 175
Albertí, J., see Rubio, R. 160
Alçada, M.N.M.P.
—, Lima, J.L.F.C. and Montenegro, M.C.B.S.M.
Quinidine ion-selective electrode for potentiometric determinations in pharmaceutical preparations 657
Alés Barrero, F., see Cruces Blanco, C. 213
Arnold, M.A., see Pan, S. 663
Arroyo Cortéz, J., see López García, I. 167
Arruda, M.A.Z.
—, Zagatto, E.A.G. and Maniasso, N.
Kinetic determination of cobalt and nickel by flow-injection spectrophotometry 476

Backbier, L.
—, Rousseau, J. and Bart, J.C.J.
Analytical study of salt migration and efflorescence in a mediaeval cathedral 855
Baeza Baeza, J.J.
—, Matsumoto, K. and Mottola, H.A.
Comparative studies on data collection and data treatment in kinetic-based determinations with two rotating bioreactor/amperometric detection systems 785
Baltensperger, U., see Seefeld, S. 246
Barbosa, J.
— and Sanz-Nebot, V.
Standard pH values in non-aqueous mobile phases used in reversed-phase liquid chromatography 320
Barendswaard, W.
—, Moonen, J. and Neilen, M.
Analysis of polymer stabilizers by means of solid state NMR: some case studies 1007
Barnes, R.M.
Advances in inductively coupled plasma mass spectrometry: human nutrition and toxicology 115
Bart, J.C.J., see Backbier, L. 855
Beltran, J.
—, López, F.J. and Hernández, F.
Solid-phase extraction of pesticide residues from ground water: comparison between extraction cartridges and extraction discs 297
Berghmans, P., see Adams, F. 19
Borguet, F., see Cornelis, R. 183
Bos, M., see Pałys, M.J. 811
Bosch-Reig, F.
—, Campíns-Falcó, P. and Verdú-Andrés, J.
Development of the H-point standard additions method for analyte determinations in unknown matrix. Location of linear matrix spectral interval 831
Brázdová, D., see Kalous, J. 645
Bruchmann, A.
—, Zinn, P. and Haffer, Chr.M.
Prediction of gas chromatographic retention index data by neural networks 869

Cámara, C., see Marco, V. 489
Camara, C., see Cobo Fernandez, M.G. 386
Campillo, N., see Viñas, P. 393
Campíns-Falcó, P., see Bosch-Reig, F. 831
Campíns Falcó, P., see Molins Legua, C. 635
Cano Pavon, J.M., see Vereda Alonso, E. 224
Caravatti, P., see Struyf, H. 139
Caroli, S.
Certified reference materials: use, manufacture and certification 573
Carrillo, F., see Marco, V. 489
Casamayor, F., see Maquieira, A. 401
Casassas, E.
—, Domínguez, N., Fonrodona, G. and De Juan, A.
Factor analysis applied to the study of the effects of solvent composition and nature of the inert electrolyte on the protonation constants in dioxane–water mixtures 548
—, Gargallo, R., Giménez, I., Izquierdo-Ridorsa, A. and Tauler, R.
Application of an evolving factor analysis-based procedure to speciation analysis in the copper(II)–polyuridylic acid system 538
Cerezo Galan, A., see Ismail Salem, I. 334
Cholewa, N., see Legge, G.J.F. 62
Ciocan, A., see Hiddemann, L. 152
Cobo Fernandez, M.G.
—, Palacios, M.A. and Camara, C.

Flow-injection and continuous-flow systems for the determination of Se(IV) and Se(VI) by hydride generation atomic absorption spectrometry with on-line prereduction of Se(VI) to Se(IV) 386
Compañó, R.
—, Granados, M., Leal, C. and Prat, M.D.
Solid-phase extraction and spectrofluorimetric determination of triphenyltin in environmental samples 272
Cornelis, R.
—, Borguet, F. and De Kimpe, J.
Trace elements in medicine. Speciation: the new frontier 183
Cosano, J., see Quevauviller, Ph. 600
Crouch, S.R.
Trends in kinetic methods of analysis 453
Cruces Blanco, C.
—, García Campaña, A., Alés Barrero, F. and Román Ceba, M.
Simultaneous spectrofluorimetric determination of traces of molybdenum and boron in plant leaves 213
Cruz, I.
—, Wells, D.E. and Marr, I.L.
Determination of organochlorines in sea water: an assessment 280

Dasgupta, P.K., see Liu, S. 739, 747
De Juan, A., see Casassas, E. 548
De Kimpe, J., see Cornelis, R. 183
De la Peña, L.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Simultaneous kinetic-photometric determination of imipramine and desipramine by stopped-flow mixing technique 471
De la Rosa, F.F., see Lin, Q. 379
Dessenne, O., see Hiddemann, L. 152
Díaz-García, M.E., see Valencia-González, M.J. 439
Dombek, V., see Praus, P. 917
Domínguez, N., see Casassas, E. 548
Do Nascimento, D.B.
— and Schwedt, G.
Off-line and on-line preconcentration of trace levels of beryllium using complexing agents with atomic spectrometric and fluorimetric detection 909
Do Nascimento, P.C.
— and Schwedt, G.
Comparative studies of the determination of cyanide at low concentration levels in waste waters 755
Dunemann, L.
— and Hajimiragha, H.
Development of a screening method for the determination of volatile organic compounds in body fluids and environmental samples using purge and trap gas chromatography–mass spectrometry 199
Dybowski, C.R., see Rethwisch, D.G. 1033

Eagles, J., see Mellon, F.A. 190
Ebdon, L., see Garcia-Alonso, J.I. 261
Eckert, H., see Franke, D. 987
Ellis, P.D., see Koons, J.M. 1045
El'skaya, A.V., see Soldatkin, A.P. 695
Elswijk, H.B.
Scanning tunnelling microscopy of silicon surfaces 35
Engelhardt, G.
—, Sieger, P. and Felsche, J.
Multinuclear solid state NMR of host–guest systems with TO_2 (T = Si, Al) host-frameworks. A case study on sodalites 967
Escobar, R., see Lin, Q. 379

Fairweather-Tait, S.J., see Mellon, F.A. 190
Fan, Z., see Harrison, D.J. 361
Felsche, J., see Engelhardt, G. 967
Fernández-Romero, J.M.
—, Luque de Castro, M.D., Valcárcel, M. and Quiles-Zafra, R.
Spectrophotometric determination of magnesium in serum by using a flow-injection system with an immobilized enzyme reactor 447
Fernández de la Campa, M.R., see Valdés-Hevia y Temprano, M.C. 175
Fiedor, J.N., see Hercules, D.M. 42
Fonrodona, G., see Casassas, E. 548
Fox, T.E., see Mellon, F.A. 190
Franke, D.
—, Eckert, H., Kaner, R.B. and Treece, R.E.
Quantitative evaluation of gallium phosphide samples prepared from rapid solid state metathesis. Solid state ^{31}P and ^{69}Ga magic angle spinning NMR strategies 987
Frimmel, F.H., see Schullerer, S. 251

Garcia-Alonso, J.I.
—, Sanz-Medel, A. and Ebdon, L.
Determination of butyltin ion species by ion-exchange chromatography with inductively coupled plasma mass spectrometric and spectrofluorimetric detection 261
Garcia Beltran, L., see Rubio, R. 207
García Campaña, A., see Cruces Blanco, C. 213
Garcia de Torres, A., see Vereda Alonso, E. 224
Gargallo, R., see Casassas, E. 538
Gautier, E.A.
—, Gettar, R.T. and Servant, R.E.
Simultaneous determination of lanthanum, strontium and copper in superconductor materials by ion chromatography 350
Gelan, J., see Hoogmartens, I. 1025
Gerstein, B.C.
—, Pruski, M. and Hwang, S.-J.
Determination of proton densities on silica gel catalyst supports by *n*-quantum coherence in NMR 1059
Gettar, R.T., see Gautier, E.A. 350
Gijbels, R., see Struyf, H. 139
Giménez, I., see Casassas, E. 538
Glennon, J.D., see Ryan, N. 344
Gómez-Hens, A., see De la Peña, L. 471
Granados, M., see Compañó, R. 272
Griepink, B., see Maier, E.A. 590

Griepink, B., see Quevauviller, Ph. 583, 600
Griffin, R.G., see Griffiths, J.M. 1081
Griffiths, J.M.
— and Griffin, R.G.
Nuclear magnetic resonance methods for measuring dipolar couplings in rotating solids 1081
Gübitz, G.
— and Shellum, C.
Flow-injection immunoassays. Review 421
Guiochon, G.A.
Chromatography, today and tomorrow 309
Guiraúm, A., see Lin, Q. 379
Gutzman, D.W.
— and Langford, C.H.
Application of thermal lens spectrometry to kinetic speciation studies of metal ions in natural water models with colloidal ligands 773

Haffer, Chr.M., see Bruchmann, A. 869
Hajimiragha, H., see Dunemann, L. 199
Håkanson, H., see Shu, H.-C. 727
Hamplová, V., see Novák, J. 923
Harrison, D.J.
—, Fan, Z., Seiler, K., Manz, A. and Widmer, H.M.
Rapid separation of fluorescein derivatives using a micromachined capillary electrophoresis system 361
Hercules, D.M.
—, Houalla, M., Proctor, A. and Fiedor, J.N.
Quantitation of species on catalyst surfaces 42
Hernández-Cassou, S., see Saurina, J. 414
Hernández, F., see Beltran, J. 297
Hernández-Hernández, F., see Sancho-Llopis, J.V. 287
Hernández, L., see Agraz, R. 650
Hernández, L., see Pilar da Silva, M. 326
Hernández Córdoba, M., see López García, I. 167
Hernández Córdoba, M., see Viñas, P. 393
Heumann, K.G.
Determination of inorganic and organic traces in the clean room compartment of Antarctica 230
Heydorn, K.
Detecting errors in micro and trace analysis by using statistics 494
Hiddemann, L.
—, Uebbing, J., Ciocan, A., Dessenne, O. and Niemax, K.
Simultaneous multi-element analysis of solid samples by laser ablation–microwave-induced plasma optical emission spectrometry 152
Hogendoorn, E.A., see Sancho-Llopis, J.V. 287
Hoogmartens, I.
—, Adriaensens, P., Vanderzande, D. and Gelan, J.
Improving selectivity by using a multipurpose cross polarization magic angle spinning NMR pulse sequence. Characterization of π-conjugated compounds 1025
Houalla, M., see Hercules, D.M. 42
Huang, X.Z., see Li, Y.Q. 903
Huang, Y.L.
—, Khoo, S.B. and Yap, M.G.S.
Flow-injection analysis–wall-jet electrode system for monitoring glucose and lactate in fermentation broths 763
Hughes, E., see Koons, J.M. 1045
Hwang, S.-J., see Gerstein, B.C. 1059

Imasaka, T., see Kawabata, Y. 689
Ismail Salem, I.
— and Cerezo Galan, A.
Determination of the stability of morphine tablets by ion-pair reversed-phase liquid chromatography 334
Isoyama, H., see Uchida, T. 881
Izquierdo-Ridorsa, A., see Casassas, E. 538

Jacintha, M.A., see Rethwisch, D.G. 1033
Jaffrezic-Renault, N., see Soldatkin, A.P. 695
Janssens, K.
—, Vincze, L., Adams, F. and Jones, K.W.
Synchrotron radiation-induced x-ray microanalysis 98
Janssens, K., see Adams, F. 19
Jiang, Z., see Peng, X. 887
Jones, K.W., see Janssens, K. 98

Kalous, J.
—, Brázdová, D. and Vytřas, K.
Microdetermination of sulphate and organic sulphur: potentiometric back-titration using simple coated-wire electrodes 645
Kaner, R.B., see Franke, D. 987
Kawabata, Y.
—, Sugamoto, H. and Imasaka, T.
Micro-optrode for urea using an ammonium ion-sensitive membrane covered with a urease-immobilized membrane 689
Kawazumi, H.
—, Yasuda, T.-o. and Ogawa, T.
Two-photon ionization detection of adsorbed molecules on a metal surface at atmospheric pressure by 355-nm laser irradiation 111
Kayali, M.N., see Rubio-Barroso, S. 304
Khoo, S.B., see Huang, Y.L. 763
Kikuchi, N.
—, Matsuno, K. and Miki, T.
Separation and determination of betaine in an oriental medicine by liquid chromatography 338
Klinowski, J.
Applications of solid-state NMR for the study of molecular sieves. Review 929
Koenig, J.L., see Silvestri, R.L. 997
Koons, J.M.
—, Hughes, E. and Ellis, P.D.
Non-linear least squares procedure for the extraction of NMR parameters from multi-tensor solid state line shapes 1045

Langford, C.H., see Gutzman, D.W. 773
Laserna, J.J.
Combining fingerprinting capability with trace analytical detection: surface-enhanced Raman spectrometry 607

Leal, C., see Compañó, R. 272
Legge, G.J.F.
—, Saint, A. and Cholewa, N.
Non-destructive 2- and 3-dimensional microanalysis with (high energy) ion microprobes 62
Li, Y.Q.
—, Huang, X.Z. and Xu, J.G.
Raman scattering interference in constant-wavelength synchronous spectrofluorimetry 903
Liapis, K.S., see Miliadis, G.E. 258
Lima, J.L.F.C., see Alçada, M.N.M.P. 657
Lin, Q.
—, Guiraúm, A., Escobar, R. and De la Rosa, F.F.
Flow-injection chemiluminescence determination of cobalt(II) and manganese(II) 379
Liu, S.
— and Dasgupta, P.K.
A simple means to increase absorbance detection sensitivity in capillary zone electrophoresis 747
— and Dasgupta, P.K.
Electroosmotically pumped capillary flow-injection analysis. Valve-based injection systems and sample throughput 739
Liu, Y.M., see Valencia-González, M.J. 439
López, F.J., see Beltran, J. 297
López Carreto, M.
—, Sicilia, D., Rubio, S. and Pérez-Bendito, D.
Simultaneous determination of arsenate and phosphate by use of the kinetic wavelength-pair method 481
López García, I.
—, Arroyo Cortéz, J. and Hernández Córdoba, M.
Slurry-electrothermal atomic absorption spectrometry of samples with large amounts of silica. Determination of cadmium, zinc and manganese using fast temperature programmes 167
López García, I., see Viñas, P. 393
Luque de Castro, M.D., see Fernández-Romero, J.M. 447
Luque de Castro, M.D., see Quevauviller, Ph. 600
Luque de Castro, M.D., see Richter, P. 408

Maier, E.A.
—, Quevauviller, Ph. and Griepink, B.
Interlaboratory studies as a tool for many purposes: proficiency testing, learning exercises, quality control and certification of matrix materials 590
Maier, E.A., see Quevauviller, Ph. 583
Málková, Z., see Novák, J. 923
Maniasso, N., see Arruda, M.A.Z. 476
Manz, A., see Harrison, D.J. 361
Maquieira, A.
—, Casamayor, F., Puchades, R. and Sagrado, S.
Determination of total and free sulphur dioxide in wine with a continuous-flow microdistillation system 401
Marco, V.
—, Carrillo, F., Pérez-Conde, C. and Cámara, C.
Kinetic flow-injection spectrofluorimetric method for the determination of fluoride 489
Marcos, J.
—, Ríos, A. and Valcárcel, M.
Automatic determination of Michaelis–Menten constants by the variable flow-rate technique 429
Marr, I.L., see Cruz, I. 280
Martelet, C., see Soldatkin, A.P. 695
Masini, J.C.
Evaluation of neglecting electrostatic interactions on the determination and characterization of the ionizable sites in humic substances 803
Matsumoto, K., see Baeza Baeza, J.J. 785
Matsuno, K., see Kikuchi, N. 338
Mattiasson, B., see Shu, H.-C. 727
Mellon, F.A.
—, Eagles, J., Fox, T.E. and Fairweather-Tait, S.J.
Absorption and bioavailability studies of mineral nutrients by mass spectrometry 190
Méndez, J.
—, Quejido, A.J., Pérez-Pastor, R. and Pérez-García, M.
Chemometric study of organic pollution in the aerosol of Madrid 528
Meyerhoff, M.E., see Wang, E. 673
Miki, T., see Kikuchi, N. 338
Miliadis, G.E.
— and Liapis, K.S.
Determination of arsenic residues in agricultural products of Milos island 258
Molins Legua, C.
—, Campíns Falcó, P. and Sevillano Cabeza, A.
Extractive–spectrophotometric determination of amphetamine in urine samples with sodium 1,2-naphthoquinone 4-sulphonate 635
Montenegro, M.C.B.S.M., see Alçada, M.N.M.P. 657
Moonen, J., see Barendswaard, W. 1007
Mottola, H.A., see Baeza Baeza, J.J. 785
Muller, D., see Ryan, N. 344

Nagy, A.
— and Nagy, G.
Amperometric air gap cell for the measurement of free cyanide 795
Nagy, G., see Nagy, A. 795
Neilen, M., see Barendswaard, W. 1007
Netchiporouk, L.I., see Soldatkin, A.P. 695
Niemax, K., see Hiddemann, L. 152
Nigretto, J.-M., see Randriamahazaka, H. 719
Novák, J.
—, Málková, Z., Pokorná, Z. and Hamplová, V.
Cerimetric determination of oxygen balance in oxide superconductors 923
Nyamsi Hendji, A.M., see Soldatkin, A.P. 695

Oda, H., see Uchida, T. 881
Oechsner, H.
Inorganic mass spectrometry for surface and thin film analysis 131
Ogawa, T., see Kawazumi, H. 111

Olson, D.L.
— and Scheeline, A.
The peroxidase–NADH biochemical oscillator: experimental system, control variables, and oxygen mass transport 703
Otto, M.
Fuzzy logic for spectra interpretation 500

Padró, A., see Rubio, R. 160
Palacios, M.A., see Cobo Fernandez, M.G. 386
Pałys, M.J.
—, Bos, M. and Van der Linden, W.E.
Automatic polarographic elucidation of electrode mechanisms by means of a knowledge-based system. Part 3. Mechanisms ECE, EE and mechanisms involving adsorption 811
Pan, S.
— and Arnold, M.A.
Amperometric internal enzyme gas-sensing probe for hydrogen peroxide 663
Peng, X.
—, Jiang, Z. and Zen, Y.
On-line microcolumn preconcentration with desolvation and determination of trace elements by flow-injection inductively coupled plasma atomic emission spectrometry 887
Pérez-Bendito, D., see De la Peña, L. 471
Pérez-Bendito, D., see López Carreto, M. 481
Pérez-Conde, C., see Marco, V. 489
Pérez-García, M., see Méndez, J. 528
Pérez-Pastor, R., see Méndez, J. 528
Pilar da Silva, M.
—, Procopio, J.R. and Hernández, L.
Liquid chromatographic study of the photochemical decomposition of sodium ethylmercurithiosalicylate 326
Poe, R.B.
— and Rutan, S.C.
Effects of resolution, peak ratio and sampling frequency in diode-array fluorescence detection in liquid chromatography 845
Pokorná, Z., see Novák, J. 923
Polo-Díez, L.M., see Rubio-Barroso, S. 304
Pouchou, J.-L.
X-Ray microanalysis of stratified specimens 81
Prat, M.D., see Compañó, R. 272
Praus, P.
— and Dombek, V.
Utilization of polyethylene glycol for the separation of chlorophenols by capillary isotachophoresis 917
Procopio, J.R., see Pilar da Silva, M. 326
Proctor, A., see Hercules, D.M. 42
Pruski, M., see Gerstein, B.C. 1059
Puchades, R., see Maquieira, A. 401

Quejido, A.J., see Méndez, J. 528
Quevauviller, Ph.
—, Maier, E.A. and Griepink, B.
Projects for the improvement and quality control of inorganic and organic analysis in environmental matrices 583
—, Van Renterghem, D., Griepink, B., Valcarcel, M., Luque de Castro, M.D. and Cosano, J.
Interlaboratory programme for the quality control of nitrate determination in freshwater 600
Quevauviller, Ph., see Maier, E.A. 590
Quevauviller, Ph., see Rubio, R. 207
Quiles-Zafra, R., see Fernández-Romero, J.M. 447

Ramis-Ramos, G.
Analytical characteristics, applications and perspectives in thermal lens spectrometry 623
Randriamahazaka, H.
— and Nigretto, J.-M.
Electrochemical activation of human factor XII (Hageman factor) immobilized on carbon electrodes 719
Ratcliffe, C.I., see Ripmeester, J.A. 1103
Rauret, G., see Rubio, R. 160, 207
Rethwisch, D.G.
—, Jacintha, M.A. and Dybowski, C.R.
Quantification of ^{13}C in solids using CPMAS-DD-NMR spectroscopy 1033
Richter, P.
—, Luque de Castro, M.D. and Valcárcel, M.
Spectrophotometric flow-through sensor for the determination of sulphur dioxide 408
Rigin, V.
Simultaneous atomic fluorescence spectrometric determination of traces of iron, cobalt and nickel after conversion to their carbonyls and gas-phase atomization by microwave-induced plasma 895
Ríos, A., see Marcos, J. 429
Ripmeester, J.A.
— and Ratcliffe, C.I.
^{129}Xe NMR spectroscopy in microporous solids: the effect of bulk properties 1103
Rius, F.X.
Expert systems in trace analysis 518
Román Ceba, M., see Cruces Blanco, C. 213
Rousseau, J., see Backbier, L. 855
Rubio-Barroso, S.
—, Kayali, M.N. and Polo-Díez, L.M.
Fluorimetric study of polycyclic aromatic hydrocarbons in Brij-35 micellar solution. Evaluation of polycyclic aromatic hydrocarbons in air samples 304
Rubio, R.
—, Padró, A., Albertí, J. and Rauret, G.
Determination of arsenic speciation by liquid chromatography–hydride generation inductively coupled plasma atomic emission spectrometry with on-line UV photooxidation 160
—, Sahuquillo, A., Rauret, G., Garcia Beltran, L. and Quevauviller, Ph.
Systematic study of chromium determination in urine by graphite furnace atomic absorption spectrometry 207
Rubio, S., see López Carreto, M. 481
Rutan, S.C., see Poe, R.B. 845

Ryan, N.
—, Glennon, J.D. and Muller, D.
On-line trace metal ion preconcentration in ion chromatography using carboxymethyl and hydroxamate dextran-coated silicas 344

Sagrado, S., see Maquieira, A. 401
Sahuquillo, A., see Rubio, R. 207
Saint, A., see Legge, G.J.F. 62
Sancho-Llopis, J.V.
—, Hernández-Hernández, F., Hogendoorn, E.A. and Van Zoonen, P.
Rapid method for the determination of eight chlorophenoxy acid residues in environmental water samples using off-line solid-phase extraction and on-line selective precolumn switching 287
Sanz-Medel, A.
Solid surface photoluminescence and flow analysis: a happy marriage 367
Sanz-Medel, A., see Garcia-Alonso, J.I. 261
Sanz-Medel, A., see Valdés-Hevia y Temprano, M.C. 175
Sanz-Medel, A., see Valencia-González, M.J. 439
Sanz-Nebot, V., see Barbosa, J. 320
Saurina, J.
— and Hernández-Cassou, S.
Continuous-flow spectrophotometric determination of amino acids with 1,2-naphthoquinone-4-sulphonate reagent 414
Scheeline, A., see Olson, D.L. 703
Schullerer, S.
— and Frimmel, F.H.
Characterization of organic sulphur compounds in surface water by ion-pair adsorption under different conditions 251
Schwedt, G., see Do Nascimento, D.B. 909
Schwedt, G., see Do Nascimento, P.C. 755
Seefeld, S.
— and Baltensperger, U.
Determination of bromide in snow samples by ion chromatography with electrochemical detection 246
Seiler, K., see Harrison, D.J. 361
Servant, R.E., see Gautier, E.A. 350
Sevilla, M.T., see Agraz, R. 650
Sevillano Cabeza, A., see Molins Legua, C. 635
Shellum, C., see Gübitz, G. 421
Sherwood, P.M.A.
Surface analysis for the investigation of electrochemical and corrosion systems 52
Shu, H.-C.
—, Håkanson, H. and Mattiasson, B.
D-Lactic acid in pork as a freshness indicator monitored by immobilized D-lactate dehydrogenase using sequential injection analysis 727
Shul'ga, A.A., see Soldatkin, A.P. 695
Sicilia, D., see López Carreto, M. 481
Sieger, P., see Engelhardt, G. 967
Siles Cordero, M.T., see Vereda Alonso, E. 224
Silvestri, R.L.
— and Koenig, J.L.
Applications of nuclear magnetic resonance spectrometry to solid polymers. Review 997
Soldatkin, A.P.
—, El'skaya, A.V., Shul'ga, A.A., Netchiporouk, L.I., Nyamsi Hendji, A.M., Jaffrezic-Renault, N. and Martelet, C.
Glucose-sensitive field-effect transistor with additional Nafion membrane. Reduction of influence of buffer capacity on the sensor response and extension of its dynamic range 695
Struyf, H.
—, Van Roy, W., Van Vaeck, L., Van Grieken, R., Gijbels, R. and Caravatti, P.
Laser microprobe Fourier transform mass spectrometer with external ion source for organic and inorganic microanalysis 139
Sugamoto, H., see Kawabata, Y. 689

Tauler, R., see Casassas, E. 538
Tölg, G.
Problems and trends in extreme trace analysis for the elements 3
Treece, R.E., see Franke, D. 987

Uchida, T.
—, Isoyama, H., Oda, H., Wada, H. and Uenoyama, H.
Determination of ultratrace metals in biological standards by inductively coupled plasma atomic emission spectrometry with ultrasonic nebulisation 881
Uebbing, J., see Hiddemann, L. 152
Uenoyama, H., see Uchida, T. 881

Valcárcel, M., see Fernández-Romero, J.M. 447
Valcárcel, M., see Marcos, J. 429
Valcárcel, M., see Richter, P. 408
Valcarcel, M., see Quevauviller, Ph. 600
Valdés-Hevia y Temprano, M.C.
—, Aizpún Fernández, B., Fernández de la Campa, M.R. and Sanz-Medel, A.
Study of the influence of ordered media on the determination of lead by hydride generation inductively coupled plasma atomic emission spectrometry 175
Valencia-González, M.J.
—, Liu, Y.M., Díaz-García, M.E. and Sanz-Medel, A.
Optosensing of D-glucose with an immobilized glucose oxidase minireactor and an oxygen room-temperature phosphorescence transducer 439
Van der Linden, W.E., see Pałys, M.J. 811
Vanderzande, D., see Hoogmartens, I. 1025
Van Grieken, R., see Struyf, H. 139
Van Renterghem, D., see Quevauviller, Ph. 600
Van Roy, W., see Struyf, H. 139
Van Vaeck, L., see Struyf, H. 139
Van Zoonen, P., see Sancho-Llopis, J.V. 287
Verdú-Andrés, J., see Bosch-Reig, F. 831

Vereda Alonso, E.
—, Cano Pavon, J.M., Garcia de Torres, A. and Siles Cordero, M.T.
Determination of nickel in biological samples prepared by microwave dissolution using electrothermal atomic absorption spectrometry after extraction with 1,5-bis[phenyl-(2-pyridyl)methylene] thiocarbonhydrazide 224
Viñas, P.
—, Campillo, N., López García, I. and Hernández Córdoba, M.
Flow-injection flame atomic absorption spectrometry for slurry atomization. Determination of calcium, magnesium, iron, zinc and manganese in vegetables 393
Vincze, L., see Janssens, K. 98
Voigtman, E.
Computer experimentation in and teaching of modern instrumental techniques using circular dichroism measurement as an example 559
Vytřas, K., see Kalous, J. 645

Wada, H., see Uchida, T. 881
Walczak, B.
— and Wegscheider, W.
Non-linear modelling of chemical data by combinations of linear and neural net methods 508
Wang, E.
— and Meyerhoff, M.E.
Anion selective optical sensing with metalloporphyrin-doped polymeric films 673
Wang, J.
— and Wu, H.
Permselective lipid–poly(*o*-phenylenediamine) coatings for amperometric biosensing of glucose 683
Weber, G.
Measurement of the speciation of iron in the nanogram range: investigation of chromatographic peaks induced by iron blanks 354
Wegscheider, W., see Walczak, B. 508
Wells, D.E., see Cruz, I. 280
Widmer, H.M., see Harrison, D.J. 361
Wu, H., see Wang, J. 683

Xu, J.G., see Li, Y.Q. 903

Yap, M.G.S., see Huang, Y.L. 763
Yasuda, T.-o., see Kawazumi, H. 111

Zagatto, E.A.G., see Arruda, M.A.Z. 476
Zen, Y., see Peng, X. 887
Zinn, P., see Bruchmann, A. 869